Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
Discipline: Electrical, **Group:** Lamps, Luminaires and accessories				
1	Fixed General Purpose Luminaries	General Test Requirements	(Cl.1.4) IS 10322 (Part 5/Sec 1)	Permanent
2	Fixed General Purpose Luminaries	Classification of Luminaries	(Cl.1.5) IS 10322 (Part 5/Sec 1)	Permanent
3	Fixed General Purpose Luminaries	Marking	(Cl.1.6) IS 10322 (Part 5/Sec 1)	Permanent
4	Fixed General Purpose Luminaries	Construction	(Cl.1.7) IS 10322 (Part 5/Sec 1)	Permanent
5	Fixed General Purpose Luminaries	Creepage Distance and Clearance	(Cl.1.8) IS 10322 (Part 5/Sec 1)	Permanent
6	Fixed General Purpose Luminaries	Provision for Earthing	(Cl.1.9) IS 10322 (Part 5/Sec 1)	Permanent
7	Fixed General Purpose Luminaries	Terminals	(Cl.1.10) IS 10322 (Part 5/Sec 1)	Permanent
8	Fixed General Purpose Luminaries	External and Internal Wiring	(Cl.1.11) IS 10322 (Part 5/Sec 1)	Permanent
9	Fixed General Purpose Luminaries	Protection Against Electric Shock	(Cl.1.12) IS 10322 (Part 5/Sec 1)	Permanent
10	Fixed General Purpose Luminaries	Endurance Test and Thermal Test	(Cl.1.13) IS 10322 (Part 5/Sec 1)	Permanent
11	Fixed General Purpose Luminaries	Resistance to dust, solid objects and moisture	(Cl.1.14) IS 10322 (Part 5/Sec 1)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
12	Fixed General Purpose Luminaries	Insulation resistance and electric strength, touch current and protective conductor current	(Cl.1.15) IS 10322 (Part 5/Sec 1)	Permanent
13	Fixed General Purpose Luminaries	Resistance to Heat, Fire and Tracking	(Cl.1.16) IS 10322 (Part 5/Sec 1)	Permanent
14	Fixed General Purpose Luminaries	General Requirements	(Cl.4) IEC 60598-2-1	Permanent
15	Fixed General Purpose Luminaries	Classification of Luminaries	(Cl.5) IEC 60598-2-1	Permanent
16	Fixed General Purpose Luminaries	Marking	(Cl.6) IEC 60598-2-1	Permanent
17	Fixed General Purpose Luminaries	Construction	(Cl.7) IEC 60598-2-1	Permanent
18	Fixed General Purpose Luminaries	External and Internal Wiring	(Cl.8) IEC 60598-2-1	Permanent
19	Fixed General Purpose Luminaries	Provision for Earthing	(Cl.9) IEC 60598-2-1	Permanent
20	Fixed General Purpose Luminaries	Protection Against Electric Shock	(Cl.10) IEC 60598-2-1	Permanent
21	Fixed General Purpose Luminaries	Resistance to dust, solid objects and moisture	(Cl.11) IEC 60598-2-1	Permanent
22	Fixed General Purpose Luminaries	Insulation resistance and electric strength, touch	(Cl.12) IEC 60598-2-1	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
		current and protective conductor current		
23	Fixed General Purpose Luminaries	Creepage Distance and Clearance	(Cl.13) IEC 60598-2-1	Permanent
24	Fixed General Purpose Luminaries	Endurance Test and Thermal Test	(Cl.14) IEC 60598-2-1	Permanent
25	Fixed General Purpose Luminaries	Resistance to Heat, Fire and Tracking	(Cl.15) IEC 60598-2-1	Permanent
26	Fixed General Purpose Luminaries	Screw terminals	(Cl.16) IEC 60598-2-1	Permanent
27	Fixed General Purpose Luminaries	Screwless terminals and electrical connections	(Cl.17) IEC 60598-2-1	Permanent
28	Recessed Luminaires and Recessed Air-Handling Luminaires	General Test Requirements	(Cl.2.4) IS 10322 (PART 5/SEC 2)	Permanent
29	Recessed Luminaires and Recessed Air-Handling Luminaires	Classification of Luminaries	(Cl.2.5) IS 10322 (PART 5/SEC 2)	Permanent
30	Recessed Luminaires and Recessed Air-Handling Luminaires	Marking	(Cl.2.6) IS 10322 (PART 5/SEC 2)	Permanent
31	Recessed Luminaires and	Construction	(Cl.2.7) IS 10322 (PART 5/SEC 2)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
	Recessed Air-Handling Luminaires			
32	Recessed Luminaires and Recessed Air-Handling Luminaires	Creepage Distance and Clearance	(Cl.2.8) IS 10322 (PART 5/SEC 2)	Permanent
33	Recessed Luminaires and Recessed Air-Handling Luminaires	Provision for Earthing	(Cl.2.9) IS 10322 (PART 5/SEC 2)	Permanent
34	Recessed Luminaires and Recessed Air-Handling Luminaires	Terminals	(Cl.2.10) IS 10322 (PART 5/SEC 2)	Permanent
35	Recessed Luminaires and Recessed Air-Handling Luminaires	External and Internal Wiring	(Cl.2.11) IS 10322 (PART 5/SEC 2)	Permanent
36	Recessed Luminaires and Recessed Air-Handling Luminaires	Protection Against Electric Shock	(Cl.2.12) IS 10322 (PART 5/SEC 2)	Permanent
37	Recessed Luminaires and Recessed Air-Handling Luminaires	Endurance Test and Thermal Test	(Cl.2.13) IS 10322 (PART 5/SEC 2)	Permanent
38	Recessed Luminaires and	Resistance to dust, solid objects and moisture	(Cl.2.14) IS 10322 (PART 5/SEC 2)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
	Recessed Air-Handling Luminaires			
39	Recessed Luminaires and Recessed Air-Handling Luminaires	Insulation resistance and electric strength, touch current and protective conductor current	(Cl.2.15) IS 10322 (PART 5/SEC 2)	Permanent
40	Recessed Luminaires and Recessed Air-Handling Luminaires	Resistance to Heat, Fire and Tracking	(Cl.2.16) IS 10322 (PART 5/SEC 2)	Permanent
41	Recessed Luminaires and Recessed Air-Handling Luminaires	General Test Requirements	(Cl.2.4) IEC 60598-2-2	Permanent
42	Recessed Luminaires and Recessed Air-Handling Luminaires	Classification of Luminaries	(Cl.2.5) IEC 60598-2-2	Permanent
43	Recessed Luminaires and Recessed Air-Handling Luminaires	Marking	(Cl.2.6) IEC 60598-2-2	Permanent
44	Recessed Luminaires and Recessed Air-Handling Luminaires	Construction	(Cl.2.7) IEC 60598-2-2	Permanent
45	Recessed Luminaires and	Creepage Distance and Clearance	(Cl.2.8) IEC 60598-2-2	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
	Recessed Air-Handling Luminaires			
46	Recessed Luminaires and Recessed Air-Handling Luminaires	Provision for Earthing	(Cl.2.9) IEC 60598-2-2	Permanent
47	Recessed Luminaires and Recessed Air-Handling Luminaires	Terminals	(Cl.2.10) IEC 60598-2-2	Permanent
48	Recessed Luminaires and Recessed Air-Handling Luminaires	External and Internal Wiring	(Cl.2.11) IEC 60598-2-2	Permanent
49	Recessed Luminaires and Recessed Air-Handling Luminaires	Protection Against Electric Shock	(Cl.2.12) IEC 60598-2-2	Permanent
50	Recessed Luminaires and Recessed Air-Handling Luminaires	Endurance Test and Thermal Test	(Cl.2.13) IEC 60598-2-2	Permanent
51	Recessed Luminaires and Recessed Air-Handling Luminaires	Resistance to dust, solid objects and moisture	(Cl.2.14) IEC 60598-2-2	Permanent
52	Recessed Luminaires and	Insulation resistance and electric strength, touch	(Cl.2.15) IEC 60598-2-2	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
	Recessed Air-Handling Luminaires	current and protective conductor current		
53	Recessed Luminaires and Recessed Air-Handling Luminaires	Resistance to Heat, Fire and Tracking	(Cl.2.16) IEC 60598-2-2	Permanent
54	Luminaires for road and street lighting	General Test Requirements	(Cl.3.2) IS 10322 (PART 5/SEC 3)	Permanent
55	Luminaires for road and street lighting	Classification of Luminaries	(Cl.3.4) IS 10322 (PART 5/SEC 3)	Permanent
56	Luminaires for road and street lighting	Marking	(Cl.3.5) IS 10322 (PART 5/SEC 3)	Permanent
57	Luminaires for road and street lighting	Construction	(Cl.3.6) IS 10322 (PART 5/SEC 3)	Permanent
58	Luminaires for road and street lighting	Creepage Distance and Clearance	(Cl.3.7) IS 10322 (PART 5/SEC 3)	Permanent
59	Luminaires for road and street lighting	Provision for Earthing	(Cl.3.8) IS 10322 (PART 5/SEC 3)	Permanent
60	Luminaires for road and street lighting	Terminals	(Cl.3.9) IS 10322 (PART 5/SEC 3)	Permanent
61	Luminaires for road and street lighting	External and Internal Wiring	(Cl.3.10) IS 10322 (PART 5/SEC 3)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
62	Luminaires for road and street lighting	Protection Against Electric Shock	(Cl.3.11) IS 10322 (PART 5/SEC 3)	Permanent
63	Luminaires for road and street lighting	Endurance Test and Thermal Test	(Cl.3.12) IS 10322 (PART 5/SEC 3)	Permanent
64	Luminaires for road and street lighting	Resistance to dust and moisture	(Cl.3.13) IS 10322 (PART 5/SEC 3)	Permanent
65	Luminaires for road and street lighting	Insulation resistance and electric strength	(Cl.3.14) IS 10322 (PART 5/SEC 3)	Permanent
66	Luminaires for road and street lighting	Resistance to Heat, Fire and Tracking	(Cl.3.15) IS 10322 (PART 5/SEC 3)	Permanent
67	Luminaires for road and street lighting	General Test Requirements	(Cl.3.2) IEC 60598-2-3:2002+A1	Permanent
68	Luminaires for road and street lighting	Classification of Luminaries	(Cl.3.4) IEC 60598-2-3:2002+A1	Permanent
69	Luminaires for road and street lighting	Marking	(Cl.3.5) IEC 60598-2-3:2002+A1	Permanent
70	Luminaires for road and street lighting	Construction	(Cl.3.6) IEC 60598-2-3:2002+A1	Permanent
71	Luminaires for road and street lighting	Creepage Distance and Clearance	(Cl.3.7) IEC 60598-2-3:2002+A1	Permanent
72	Luminaires for road and street lighting	Provision for Earthing	(Cl.3.8) IEC 60598-2-3:2002+A1	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
73	Luminaires for road and street lighting	Terminals	(Cl.3.9) IEC 60598-2-3:2002+A1	Permanent
74	Luminaires for road and street lighting	External and Internal Wiring	(Cl.3.10) IEC 60598-2-3:2002+A1	Permanent
75	Luminaires for road and street lighting	Protection Against Electric Shock	(Cl.3.11) IEC 60598-2-3:2002+A1	Permanent
76	Luminaires for road and street lighting	Endurance Test and Thermal Test	(Cl.3.12) IEC 60598-2-3:2002+A1	Permanent
77	Luminaires for road and street lighting	Resistance to dust and moisture	(Cl.3.13) IEC 60598-2-3:2002+A1	Permanent
78	Luminaires for road and street lighting	Insulation resistance and electric strength	(Cl.3.14) IEC 60598-2-3:2002+A1	Permanent
79	Luminaires for road and street lighting	Resistance to Heat, Fire and Tracking	(Cl.3.15) IEC 60598-2-3:2002+A1	Permanent
80	Portable General Purpose Luminaires	General Test Requirements	(Cl.4.4) IS 10322 (PART 5/SEC 4)	Permanent
81	Portable General Purpose Luminaires	Classification of Luminaries	(Cl.4.5) IS 10322 (PART 5/SEC 4)	Permanent
82	Portable General Purpose Luminaires	Marking	(Cl.4.6) IS 10322 (PART 5/SEC 4)	Permanent
83	Portable General Purpose Luminaires	Construction	(Cl.4.7) IS 10322 (PART 5/SEC 4)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
84	Portable General Purpose Luminaires	Creepage Distance and Clearance	(Cl.4.8) IS 10322 (PART 5/SEC 4)	Permanent
85	Portable General Purpose Luminaires	Provision for Earthing	(Cl.4.9) IS 10322 (PART 5/SEC 4)	Permanent
86	Portable General Purpose Luminaires	Terminals	(Cl.4.10) IS 10322 (PART 5/SEC 4)	Permanent
87	Portable General Purpose Luminaires	External and Internal Wiring	(Cl.4.11) IS 10322 (PART 5/SEC 4)	Permanent
88	Portable General Purpose Luminaires	Protection Against Electric Shock	(Cl.4.12) IS 10322 (PART 5/SEC 4)	Permanent
89	Portable General Purpose Luminaires	Endurance Test and Thermal Test	(Cl.4.13) IS 10322 (PART 5/SEC 4)	Permanent
90	Portable General Purpose Luminaires	Resistance to dust and moisture	(Cl.4.14) IS 10322 (PART 5/SEC 4)	Permanent
91	Portable General Purpose Luminaires	Insulation resistance and electric strength	(Cl.4.15) IS 10322 (PART 5/SEC 4)	Permanent
92	Portable General Purpose Luminaires	Resistance to Heat, Fire and Tracking	(Cl.4.16) IS 10322 (PART 5/SEC 4)	Permanent
93	Portable General Purpose Luminaires	General Test Requirements	(Cl.4.4) IEC 60598-2-4	Permanent
94	Portable General Purpose Luminaires	Classification of Luminaries	(Cl.4.5) IEC 60598-2-4	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
95	Portable General Purpose Luminaires	Marking	(Cl.4.6) IEC 60598-2-4	Permanent
96	Portable General Purpose Luminaires	Construction	(Cl.4.7) IEC 60598-2-4	Permanent
97	Portable General Purpose Luminaires	Creepage Distance and Clearance	(Cl.4.8) IEC 60598-2-4	Permanent
98	Portable General Purpose Luminaires	Provision for Earthing	(Cl.4.9) IEC 60598-2-4	Permanent
99	Portable General Purpose Luminaires	Terminals	(Cl.4.10) IEC 60598-2-4	Permanent
100	Portable General Purpose Luminaires	External and Internal Wiring	(Cl.4.11) IEC 60598-2-4	Permanent
101	Portable General Purpose Luminaires	Protection Against Electric Shock	(Cl.4.12) IEC 60598-2-4	Permanent
102	Portable General Purpose Luminaires	Endurance Test and Thermal Test	(Cl.4.13) IEC 60598-2-4	Permanent
103	Portable General Purpose Luminaires	Resistance to dust and moisture	(Cl.4.14) IEC 60598-2-4	Permanent
104	Portable General Purpose Luminaires	Insulation resistance and electric strength	(Cl.4.15) IEC 60598-2-4	Permanent
105	Portable General Purpose Luminaires	Resistance to Heat, Fire and Tracking	(Cl.4.16) IEC 60598-2-4	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
106	Floodlights	General Test Requirements	(Cl.5.4) IS 10322 (PART 5/SEC 5)	Permanent
107	Floodlights	Classification of Luminaries	(Cl.5.5) IS 10322 (PART 5/SEC 5)	Permanent
108	Floodlights	Marking	(Cl.5.6) IS 10322 (PART 5/SEC 5)	Permanent
109	Floodlights	Construction	(Cl.5.7) IS 10322 (PART 5/SEC 5)	Permanent
110	Floodlights	Creepage Distance and Clearance	(Cl.5.8) IS 10322 (PART 5/SEC 5)	Permanent
111	Floodlights	Provision for Earthing	(Cl.5.9) IS 10322 (PART 5/SEC 5)	Permanent
112	Floodlights	Terminals	(Cl.5.10) IS 10322 (PART 5/SEC 5)	Permanent
113	Floodlights	External and Internal Wiring	(Cl.5.11) IS 10322 (PART 5/SEC 5)	Permanent
114	Floodlights	Protection Against Electric Shock	(Cl.5.12) IS 10322 (PART 5/SEC 5)	Permanent
115	Floodlights	Endurance Test and Thermal Test	(Cl.5.13) IS 10322 (PART 5/SEC 5)	Permanent
116	Floodlights	Resistance to dust and moisture	(Cl.5.14) IS 10322 (PART 5/SEC 5)	Permanent
117	Floodlights	Insulation resistance and electric strength	(Cl.5.15) IS 10322 (PART 5/SEC 5)	Permanent
118	Floodlights	Resistance to Heat, Fire and Tracking	(Cl.5.16) IS 10322 (PART 5/SEC 5)	Permanent
119	Floodlights	General Test Requirements	(Cl.5.4) IEC 60598-2-5	Permanent
120	Floodlights	Classification of Luminaries	(Cl.5.5) IEC 60598-2-5	Permanent
121	Floodlights	Marking	(Cl.5.6) IEC 60598-2-5	Permanent
122	Floodlights	Construction	(Cl.5.7) IEC 60598-2-5	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
123	Floodlights	Creepage Distance and Clearance	(Cl.5.8) IEC 60598-2-5	Permanent
124	Floodlights	Provision for Earthing	(Cl.5.9) IEC 60598-2-5	Permanent
125	Floodlights	Terminals	(Cl.5.10) IEC 60598-2-5	Permanent
126	Floodlights	External and Internal Wiring	(Cl.5.11) IEC 60598-2-5	Permanent
127	Floodlights	Protection Against Electric Shock	(Cl.5.12) IEC 60598-2-5	Permanent
128	Floodlights	Endurance Test and Thermal Test	(Cl.5.13) IEC 60598-2-5	Permanent
129	Floodlights	Resistance to dust and moisture	(Cl.5.14) IEC 60598-2-5	Permanent
130	Floodlights	Insulation resistance and electric strength	(Cl.5.15) IEC 60598-2-5	Permanent
131	Floodlights	Resistance to Heat, Fire and Tracking	(Cl.5.16) IEC 60598-2-5	Permanent
132	Handlamps	General Test Requirements	(Cl.8.4) IS 10322 (PART 5/SEC 6)	Permanent
133	Handlamps	Classification of Luminaries	(Cl.8.5) IS 10322 (PART 5/SEC 6)	Permanent
134	Handlamps	Marking	(Cl.8.6) IS 10322 (PART 5/SEC 6)	Permanent
135	Handlamps	Construction	(Cl.8.7) IS 10322 (PART 5/SEC 6)	Permanent
136	Handlamps	Creepage Distance and Clearance	(Cl.8.8) IS 10322 (PART 5/SEC 6)	Permanent
137	Handlamps	Provision for Earthing	(Cl.8.9) IS 10322 (PART 5/SEC 6)	Permanent
138	Handlamps	Terminals	(Cl.8.10) IS 10322 (PART 5/SEC 6)	Permanent
139	Handlamps	External and Internal Wiring	(Cl.8.11) IS 10322 (PART 5/SEC 6)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
140	Handlamps	Protection Against Electric Shock	(Cl.8.12) IS 10322 (PART 5/SEC 6)	Permanent
141	Handlamps	Endurance Test and Thermal Test	(Cl.8.13) IS 10322 (PART 5/SEC 6)	Permanent
142	Handlamps	Resistance to dust and moisture	(Cl.8.14) IS 10322 (PART 5/SEC 6)	Permanent
143	Handlamps	Insulation resistance and electric strength	(Cl.8.15) IS 10322 (PART 5/SEC 6)	Permanent
144	Handlamps	Resistance to Heat, Fire and Tracking	(Cl.8.16) IS 10322 (PART 5/SEC 6)	Permanent
145	Handlamps	General Test Requirements	(Cl.8.4) IEC 60598-2-8	Permanent
146	Handlamps	Classification of Luminaries	(Cl.8.5) IEC 60598-2-8	Permanent
147	Handlamps	Marking	(Cl.8.6) IEC 60598-2-8	Permanent
148	Handlamps	Construction	(Cl.8.7) IEC 60598-2-8	Permanent
149	Handlamps	Creepage Distance and Clearance	(Cl.8.8) IEC 60598-2-8	Permanent
150	Handlamps	Provision for Earthing	(Cl.8.9) IEC 60598-2-8	Permanent
151	Handlamps	Terminals	(Cl.8.10) IEC 60598-2-8	Permanent
152	Handlamps	External and Internal Wiring	(Cl.8.11) IEC 60598-2-8	Permanent
153	Handlamps	Protection Against Electric Shock	(Cl.8.12) IEC 60598-2-8	Permanent
154	Handlamps	Endurance Test and Thermal Test	(Cl.8.13) IEC 60598-2-8	Permanent
155	Handlamps	Resistance to dust and moisture	(Cl.8.14) IEC 60598-2-8	Permanent
156	Handlamps	Insulation resistance and electric strength	(Cl.8.15) IEC 60598-2-8	Permanent
157	Handlamps	Resistance to Heat, Fire and Tracking	(Cl.8.16) IEC 60598-2-8	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
158	Lighting Chains	General Test Requirements	(Cl.20.4) IS 10322 (PART 5/SEC 7)	Permanent
159	Lighting Chains	Classification of Luminaries	(Cl.20.5) IS 10322 (PART 5/SEC 7)	Permanent
160	Lighting Chains	Marking	(Cl.20.6) IS 10322 (PART 5/SEC 7)	Permanent
161	Lighting Chains	Construction	(Cl.20.7) IS 10322 (PART 5/SEC 7)	Permanent
162	Lighting Chains	Creepage Distance and Clearance	(Cl.20.8) IS 10322 (PART 5/SEC 7)	Permanent
163	Lighting Chains	Provision for Earthing	(Cl.20.9) IS 10322 (PART 5/SEC 7)	Permanent
164	Lighting Chains	Terminals	(Cl.20.10) IS 10322 (PART 5/SEC 7)	Permanent
165	Lighting Chains	External and Internal Wiring	(Cl.20.11) IS 10322 (PART 5/SEC 7)	Permanent
166	Lighting Chains	Protection Against Electric Shock	(Cl.20.12) IS 10322 (PART 5/SEC 7)	Permanent
167	Lighting Chains	Endurance Test and Thermal Test	(Cl.20.13) IS 10322 (PART 5/SEC 7)	Permanent
168	Lighting Chains	Resistance to dust, solid objects and moisture	(Cl.20.14) IS 10322 (PART 5/SEC 7)	Permanent
169	Lighting Chains	Insulation resistance and electric strength	(Cl.20.15) IS 10322 (PART 5/SEC 7)	Permanent
170	Lighting Chains	Resistance to Heat, Fire and Tracking	(Cl.20.16) IS 10322 (PART 5/SEC 7)	Permanent
171	Lighting Chains	General Test Requirements	(Cl.20.4) IEC 60598-2-20	Permanent
172	Lighting Chains	Classification of Luminaries	(Cl.20.5) IEC 60598-2-20	Permanent
173	Lighting Chains	Marking	(Cl.20.6) IEC 60598-2-20	Permanent
174	Lighting Chains	Construction	(Cl.20.7) IEC 60598-2-20	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
175	Lighting Chains	Creepage Distance and Clearance	(Cl.20.8) IEC 60598-2-20	Permanent
176	Lighting Chains	Provision for Earthing	(Cl.20.9) IEC 60598-2-20	Permanent
177	Lighting Chains	Terminals	(Cl.20.10) IEC 60598-2-20	Permanent
178	Lighting Chains	External and Internal Wiring	(Cl.20.11) IEC 60598-2-20	Permanent
179	Lighting Chains	Protection Against Electric Shock	(Cl.20.12) IEC 60598-2-20	Permanent
180	Lighting Chains	Endurance Test and Thermal Test	(Cl.20.13) IEC 60598-2-20	Permanent
181	Lighting Chains	Resistance to dust, solid objects and moisture	(Cl.20.14) IEC 60598-2-20	Permanent
182	Lighting Chains	Insulation resistance and electric strength	(Cl.20.15) IEC 60598-2-20	Permanent
183	Lighting Chains	Resistance to Heat, Fire and Tracking	(Cl.20.16) IEC 60598-2-20	Permanent
184	Luminaires for Emergency Lighting	General Test Requirements	(Cl.22.4) IS 10322 (PART 5/SEC 8)	Permanent
185	Luminaires for Emergency Lighting	Classification of Luminaries	(Cl.22.5) IS 10322 (PART 5/SEC 8)	Permanent
186	Luminaires for Emergency Lighting	Marking	(Cl.22.6) IS 10322 (PART 5/SEC 8)	Permanent
187	Luminaires for Emergency Lighting	Construction	(Cl.22.7) IS 10322 (PART 5/SEC 8)	Permanent
188	Luminaires for Emergency Lighting	Creepage Distance and Clearance	(Cl.22.8) IS 10322 (PART 5/SEC 8)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
189	Luminaires for Emergency Lighting	Provision for Earthing	(Cl.22.9) IS 10322 (PART 5/SEC 8)	Permanent
190	Luminaires for Emergency Lighting	Terminals	(Cl.22.10) IS 10322 (PART 5/SEC 8)	Permanent
191	Luminaires for Emergency Lighting	External and Internal Wiring	(Cl.22.11) IS 10322 (PART 5/SEC 8)	Permanent
192	Luminaires for Emergency Lighting	Protection Against Electric Shock	(Cl.22.12) IS 10322 (PART 5/SEC 8)	Permanent
193	Luminaires for Emergency Lighting	Endurance Test and Thermal Test	(Cl.22.13) IS 10322 (PART 5/SEC 8)	Permanent
194	Luminaires for Emergency Lighting	Resistance to dust, solid objects and moisture	(Cl.22.14) IS 10322 (PART 5/SEC 8)	Permanent
195	Luminaires for Emergency Lighting	Insulation resistance and electric strength	(Cl.22.15) IS 10322 (PART 5/SEC 8)	Permanent
196	Luminaires for Emergency Lighting	Resistance to Heat, Fire and Tracking	(Cl.22.16) IS 10322 (PART 5/SEC 8)	Permanent
197	Luminaires for Emergency Lighting	Photometric data	(Cl.22.17) IS 10322 (PART 5/SEC 8)	Permanent
198	Luminaires for Emergency Lighting	Changeover operation	(Cl.22.18) IS 10322 (PART 5/SEC 8)	Permanent
199	Luminaires for Emergency Lighting	High Temperature operation	(Cl.22.19) IS 10322 (PART 5/SEC 8)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
200	Luminaires for Emergency Lighting	Battery charger for self-contained emergency luminaires	(Cl.22.20) IS 10322 (PART 5/SEC 8)	Permanent
201	Luminaires for Emergency Lighting	Test devices for emergency operation	(Cl.22.21) IS 10322 (PART 5/SEC 8)	Permanent
202	Luminaires for Emergency Lighting	General Test Requirements	(Cl.22.4) IEC 60598-2-22	Permanent
203	Luminaires for Emergency Lighting	Classification of Luminaries	(Cl.22.5) IEC 60598-2-22	Permanent
204	Luminaires for Emergency Lighting	Marking	(Cl.22.6) IEC 60598-2-22	Permanent
205	Luminaires for Emergency Lighting	Construction	(Cl.22.7) IEC 60598-2-22	Permanent
206	Luminaires for Emergency Lighting	Creepage Distance and Clearance	(Cl.22.8) IEC 60598-2-22	Permanent
207	Luminaires for Emergency Lighting	Provision for Earthing	(Cl.22.9) IEC 60598-2-22	Permanent
208	Luminaires for Emergency Lighting	Terminals	(Cl.22.10) IEC 60598-2-22	Permanent
209	Luminaires for Emergency Lighting	External and Internal Wiring	(Cl.22.11) IEC 60598-2-22	Permanent
210	Luminaires for Emergency Lighting	Protection Against Electric Shock	(Cl.22.12) IEC 60598-2-22	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
211	Luminaires for Emergency Lighting	Endurance Test and Thermal Test	(Cl.22.13) IEC 60598-2-22	Permanent
212	Luminaires for Emergency Lighting	Resistance to dust, solid objects and moisture	(Cl.22.14) IEC 60598-2-22	Permanent
213	Luminaires for Emergency Lighting	Insulation resistance and electric strength	(Cl.22.15) IEC 60598-2-22	Permanent
214	Luminaires for Emergency Lighting	Resistance to Heat, Fire and Tracking	(Cl.22.16) IEC 60598-2-22	Permanent
215	Luminaires for Emergency Lighting	Photometric data	(Cl.22.17) IEC 60598-2-22	Permanent
216	Luminaires for Emergency Lighting	Changeover operation	(Cl.22.18) IEC 60598-2-22	Permanent
217	Luminaires for Emergency Lighting	High Temperature operation	(Cl.22.19) IEC 60598-2-22	Permanent
218	Luminaires for Emergency Lighting	Battery charger for self-contained emergency luminaires	(Cl.22.20) IEC 60598-2-22	Permanent
219	Luminaires for Emergency Lighting	Test devices for emergency operation	(Cl.22.21) IEC 60598-2-22	Permanent
220	Luminaires for swimming pools and similar Applications	General Test Requirements	(Cl.18.4) IS 10322 (PART 5/SEC 18)	Permanent
221	Luminaires for swimming pools	Classification of Luminaries	(Cl.18.5) IS 10322 (PART 5/SEC 18)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
	and similar Applications			
222	Luminaires for swimming pools and similar Applications	Marking	(Cl.18.6) IS 10322 (PART 5/SEC 18)	Permanent
223	Luminaires for swimming pools and similar Applications	Construction	(Cl.18.7) IS 10322 (PART 5/SEC 18)	Permanent
224	Luminaires for swimming pools and similar Applications	Creepage Distance and Clearance	(Cl.18.8) IS 10322 (PART 5/SEC 18)	Permanent
225	Luminaires for swimming pools and similar Applications	Provision for Earthing	(Cl.18.9) IS 10322 (PART 5/SEC 18)	Permanent
226	Luminaires for swimming pools and similar Applications	Terminals	(Cl.18.10) IS 10322 (PART 5/SEC 18)	Permanent
227	Luminaires for swimming pools and similar Applications	External and Internal Wiring	(Cl.18.11) IS 10322 (PART 5/SEC 18)	Permanent
228	Luminaires for swimming pools and similar Applications	Protection Against Electric Shock	(Cl.18.12) IS 10322 (PART 5/SEC 18)	Permanent
229	Luminaires for swimming pools and similar Applications	Endurance Test and Thermal Test	(Cl.18.13) IS 10322 (PART 5/SEC 18)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
230	Luminaires for swimming pools and similar Applications	Resistance to dust, solid objects and moisture	(Cl.18.14) IS 10322 (PART 5/SEC 18)	Permanent
231	Luminaires for swimming pools and similar Applications	Insulation resistance and electric strength, touch current and protective conductor current	(Cl.18.15) IS 10322 (PART 5/SEC 18)	Permanent
232	Luminaires for swimming pools and similar Applications	Resistance to Heat, Fire and Tracking	(Cl.18.16) IS 10322 (PART 5/SEC 18)	Permanent
233	Luminaires for swimming pools and similar Applications	General Test Requirements	(Cl.18.4) IEC 60598-2-18	Permanent
234	Luminaires for swimming pools and similar Applications	Classification of Luminaries	(Cl.18.5) IEC 60598-2-18	Permanent
235	Luminaires for swimming pools and similar Applications	Marking	(Cl.18.6) IEC 60598-2-18	Permanent
236	Luminaires for swimming pools and similar Applications	Construction	(Cl.18.7) IEC 60598-2-18	Permanent
237	Luminaires for swimming pools and similar Applications	Creepage Distance and Clearance	(Cl.18.8) IEC 60598-2-18	Permanent
238	Luminaires for swimming pools	Provision for Earthing	(Cl.18.9) IEC 60598-2-18	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
	and similar Applications			
239	Luminaires for swimming pools and similar Applications	Terminals	(Cl.18.10) IEC 60598-2-18	Permanent
240	Luminaires for swimming pools and similar Applications	External and Internal Wiring	(Cl.18.11) IEC 60598-2-18	Permanent
241	Luminaires for swimming pools and similar Applications	Protection Against Electric Shock	(Cl.18.12) IEC 60598-2-18	Permanent
242	Luminaires for swimming pools and similar Applications	Endurance Test and Thermal Test	(Cl.18.13) IEC 60598-2-18	Permanent
243	Luminaires for swimming pools and similar Applications	Resistance to dust, solid objects and moisture	(Cl.18.14) IEC 60598-2-18	Permanent
244	Luminaires for swimming pools and similar Applications	Insulation resistance and electric strength, touch current and protective conductor current	(Cl.18.15) IEC 60598-2-18	Permanent
245	Luminaires for swimming pools and similar Applications	Resistance to Heat, Fire and Tracking	(Cl.18.16) IEC 60598-2-18	Permanent
246	Self-ballasted LED lamps for General Lighting Services	General requirements and general test requirements	(Cl.4) IS 16102 (PART 1)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
247	Self-ballasted LED lamps for General Lighting Services	Marking	(Cl.5) IS 16102 (PART 1)	Permanent
248	Self-ballasted LED lamps for General Lighting Services	Interchangeability	(Cl.6) IS 16102 (PART 1)	Permanent
249	Self-ballasted LED lamps for General Lighting Services	Protection Against Electric Shock	(Cl.7) IS 16102 (PART 1)	Permanent
250	Self-ballasted LED lamps for General Lighting Services	Insulation resistance and electric strength after humidity treatment	(Cl.8) IS 16102 (PART 1)	Permanent
251	Self-ballasted LED lamps for General Lighting Services	Mechanical Strength	(Cl.9) IS 16102 (PART 1)	Permanent
252	Self-ballasted LED lamps for General Lighting Services	Cap Temperature Rise Test	(Cl.10) IS 16102 (PART 1)	Permanent
253	Self-ballasted LED lamps for General Lighting Services	Resistance To Heat	(Cl.11) IS 16102 (PART 1)	Permanent
254	Self-ballasted LED lamps for General Lighting Services	Resistance to Flame and Ignition	(Cl.12) IS 16102 (PART 1)	Permanent
255	Self-ballasted LED lamps for	Fault Conditions	(Cl.13) IS 16102 (PART 1)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
	General Lighting Services			
256	Self-ballasted LED lamps for General Lighting Services	Creepage Distance And Clearances	(Cl.14) IS 16102 (PART 1)	Permanent
257	Self-ballasted LED lamps for General Lighting Services	Abnormal Operation	(Cl.15) IS 16102 (PART 1)	Permanent
258	Self-ballasted LED lamps for General Lighting Services	Abnormal Operation	(Cl.18) IS 16102 (PART 1)	Permanent
Discipline: Photometry**, Group:** Light Sources (Electric Lamp)				
259	Self-ballasted LED lamps for General Lighting Services	Marking	(Cl.5) IS 16102 (PART 2)	Permanent
260	Self-ballasted LED lamps for General Lighting Services	Dimension	Cl.6 IS 16102 (PART 2)	Permanent
261	Self-ballasted LED lamps for General Lighting Services	Test Conditions	Cl.7 IS 16102 (PART 2)	Permanent
262	Self-ballasted LED lamps for General Lighting Services	Lamp Input - Lamp	Cl. 8.1 IS 16102 (PART 2)	Permanent
263	Self-ballasted LED lamps for	Harmonics	Cl. 8.2 IS 16102 (PART 2)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
	General Lighting Services			
264	Self-ballasted LED lamps for General Lighting Services	Power Factor	Cl. 8.3 IS 16102 (PART 2)	Permanent
265	Self-ballasted LED lamps for General Lighting Services	Emission of Radio Frequency Disturbances	Cl. 8.4 IS 16102 (PART 2)	Permanent
266	Self-ballasted LED lamps for General Lighting Services	Flicker and Stroboscopic Effects	Cl. 8.5 IS 16102 (PART 2)	Permanent
267	Self-ballasted LED lamps for General Lighting Services	Light output	Cl.9 IS 16102 (PART 2)	Permanent
268	Self-ballasted LED lamps for General Lighting Services	Luminous flux	Cl.9.1 IS 16102 (PART 2)	Permanent
269	Self-ballasted LED lamps for General Lighting Services	Luminous Intensity distribution,	Cl. 9.2 IS 16102 (PART 2)	Permanent
270	Self-ballasted LED lamps for General Lighting Services	Beam Angle	Cl. 9.2 IS 16102 (PART 2)	Permanent
271	Self-ballasted LED lamps for General Lighting Services	Peak Intensity	Cl. 9.2 IS 16102 (PART 2)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
272	Self-ballasted LED lamps for General Lighting Services	Luminous Efficacy	Cl. 9.3 IS 16102 (PART 2)	Permanent
273	Self-ballasted LED lamps for General Lighting Services	Rated Colour and Colour Variation Categories	Cl.10.1 IS 16102 (PART 2)	Permanent
274	Self-ballasted LED lamps for General Lighting Services	Colour Rendering Index (CRI)	Cl. 10.2 IS 16102 (PART 2)	Permanent
275	Self-ballasted LED lamps for General Lighting Services	Lamp Life – Lumen Maintenance - Endurance test	Cl.11 IS 16102 (PART 2)	Permanent
Discipline: Electrical**, Group:** Domestic Electrical Appliances				
276	Room Heaters	Classification	(Cl.6) IS 302 (PART 2/SEC 30)	Permanent
277	Room Heaters	Marking and Instructions	(Cl.7) IS 302 (PART 2/SEC 30)	Permanent
278	Room Heaters	Protection against access to live parts	(Cl.8) IS 302 (PART 2/SEC 30)	Permanent
279	Room Heaters	Power Input And Current	(Cl.10) IS 302 (PART 2/SEC 30)	Permanent
280	Room Heaters	Heating	(Cl.11) IS 302 (PART 2/SEC 30)	Permanent
281	Room Heaters	Leakage current and electric strength at operating temperature	(Cl.13) IS 302 (PART 2/SEC 30)	Permanent
282	Room Heaters	Transient over voltages	(Cl.14) IS 302 (PART 2/SEC 30)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
283	Room Heaters	Moisture resistance	(Cl.15) IS 302 (PART 2/SEC 30)	Permanent
284	Room Heaters	Leakage current and Electric strength	(Cl.16) IS 302 (PART 2/SEC 30)	Permanent
285	Room Heaters	Overload protection of Transformers and associated circuits.	(Cl.17) IS 302 (PART 2/SEC 30)	Permanent
286	Room Heaters	Abnormal operation	(Cl.19) IS 302 (PART 2/SEC 30): 2007 (Except 19.11.4.1 to 19.11.4.7)	Permanent
287	Room Heaters	Stability and mechanical hazards	(Cl.20) IS 302 (PART 2/SEC 30)	Permanent
288	Room Heaters	Mechanical strength	(Cl.21) IS 302 (PART 2/SEC 30)	Permanent
289	Room Heaters	Construction	(Cl.22) IS 302 (PART 2/SEC 30)	Permanent
290	Room Heaters	Internal wiring	(Cl.23) IS 302 (PART 2/SEC 30)	Permanent
291	Room Heaters	Supply connection & external flexible cords	(Cl.25) IS 302 (PART 2/SEC 30)	Permanent
292	Room Heaters	Terminals for external conductors	(Cl.26) IS 302 (PART 2/SEC 30)	Permanent
293	Room Heaters	Provision for earthing	(Cl.27) IS 302 (PART 2/SEC 30)	Permanent
294	Room Heaters	Screws and connections	(Cl.28) IS 302 (PART 2/SEC 30)	Permanent
295	Room Heaters	Clearances, Creepage distances and solid insulations	(Cl.29) IS 302 (PART 2/SEC 30)	Permanent
296	Room Heaters	Resistance to heat and fire	(Cl.30) IS 302 (PART 2/SEC 30)	Permanent
297	Room Heaters	Resistance to rusting	(Cl.31) IS 302 (PART 2/SEC 30)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
298	Insect Killers	Classification	(Cl.6) IS 302 (Part 2/Sec 59)	Permanent
299	Insect Killers	Classification	(Cl.6) IEC 60335-2-59	Permanent
300	Insect Killers	Marking and instructions	(Cl.7) IS 302 (Part 2/Sec 59)	Permanent
301	Insect Killers	Marking and instructions	(Cl.7) IEC 60335-2-59	Permanent
302	Insect Killers	Protection against access to live parts	(Cl.8) IS 302 (Part 2/Sec 59)	Permanent
303	Insect Killers	Protection against access to live parts	(Cl.8) IEC 60335-2-59	Permanent
304	Insect Killers	Power Input And Current	(Cl.10) IS 302 (Part 2/Sec 59)	Permanent
305	Insect Killers	Power Input And Current	(Cl.10) IEC 60335-2-59	Permanent
306	Insect Killers	Heating	(Cl.11) IS 302 (Part 2/Sec 59)	Permanent
307	Insect Killers	Heating	(Cl.11 IEC 60335-2-59	Permanent
308	Insect Killers	Charging of metal-ion batteries	(Cl.12) IS 302 (Part 2/Sec 59)	Permanent
309	Insect Killers	Charging of metal-ion batteries	(Cl.12) IEC 60335-2-59	Permanent
310	Insect Killers	Leakage current and electric strength at operating temperature	(Cl.13) IS 302 (Part 2/Sec 59)	Permanent
311	Insect Killers	Leakage current and electric strength at operating temperature	(Cl.13) IEC 60335-2-59	Permanent
312	Insect Killers	Transient over voltages	(Cl.14) IS 302 (Part 2/Sec 59)	Permanent
313	Insect Killers	Transient over voltages	(Cl.14) IEC 60335-2-59	Permanent
314	Insect Killers	Moisture resistance	(Cl.15) IS 302 (Part 2/Sec 59)	Permanent
315	Insect Killers	Moisture resistance	(Cl.15) IEC 60335-2-59	Permanent
316	Insect Killers	Leakage current and Electric strength	(Cl.16) IS 302 (Part 2/Sec 59)	Permanent
317	Insect Killers	Leakage current and Electric strength	(Cl.16) IEC 60335-2-59	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
318	Insect Killers	Overload protection of Transformers and associated circuits.	(Cl.17) IS 302 (Part 2/Sec 59)	Permanent
319	Insect Killers	Overload protection of Transformers and associated circuits.	(Cl.17) IEC 60335-2-59	Permanent
320	Insect Killers	Abnormal operation	(Cl.19) IS 302 (Part 2/Sec 59): 2024 (Except 19.11.4.1 to 19.11.4.7)	Permanent
321	Insect Killers	Abnormal operation	(Cl.19) IEC 60335-2-59: 2021 (Except 19.11.4.1 to 19.11.4.7)	Permanent
322	Insect Killers	Stability and mechanical hazards	(Cl.20) IS 302 (Part 2/Sec 59)	Permanent
323	Insect Killers	Stability and mechanical hazards	(Cl.20) IEC 60335-2-59	Permanent
324	Insect Killers	Mechanical strength	(Cl.21) IS 302 (Part 2/Sec 59)	Permanent
325	Insect Killers	Mechanical strength	(Cl.21) IEC 60335-2-59	Permanent
326	Insect Killers	Construction	(Cl.22) IS 302 (Part 2/Sec 59)	Permanent
327	Insect Killers	Construction	(Cl.22) IEC 60335-2-59	Permanent
328	Insect Killers	Internal wiring	(Cl.23) IS 302 (Part 2/Sec 59)	Permanent
329	Insect Killers	Internal wiring	(Cl.23) IEC 60335-2-59	Permanent
330	Insect Killers	Supply connection & external flexible cords	(Cl.25) IS 302 (Part 2/Sec 59)	Permanent
331	Insect Killers	Supply connection & external flexible cords	(Cl.25) IEC 60335-2-59	Permanent
332	Insect Killers	Terminals for external conductors	(Cl.26) IS 302 (Part 2/Sec 59)	Permanent
333	Insect Killers	Terminals for external conductors	(Cl.26) IEC 60335-2-59	Permanent
334	Insect Killers	Provision for earthing	(Cl.27) IS 302 (Part 2/Sec 59)	Permanent
335	Insect Killers	Provision for earthing	(Cl.27) IEC 60335-2-59	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
336	Insect Killers	Screws and connections	(Cl.28) IS 302 (Part 2/Sec 59)	Permanent
337	Insect Killers	Screws and connections	(Cl.28) IEC 60335-2-59	Permanent
338	Insect Killers	Clearances, Creepage distances and solid insulations	(Cl.29) IS 302 (Part 2/Sec 59)	Permanent
339	Insect Killers	Clearances, Creepage distances and solid insulations	(Cl.29) IEC 60335-2-59	Permanent
340	Insect Killers	Resistance to heat and fire	(Cl.30) IS 302 (Part 2/Sec 59)	Permanent
341	Insect Killers	Resistance to heat and fire	(Cl.30) IEC 60335-2-59	Permanent
342	Insect Killers	Resistance to rusting	(Cl.31) IS 302 (Part 2/Sec 59)	Permanent
343	Insect Killers	Resistance to rusting	(Cl.31) IEC 60335-2-59	Permanent
344	Electric hobs	Program: Measurement of standby power requirements	Cl.5 IEC 62301	Permanent
345	Electric hobs	Marking	Cl.4 IS 19014	Permanent
346	Electric hobs	Dimension and mass	Cl.9 IS 19014	Permanent
347	Electric hobs	Energy consumption and heating up time	Cl.10 IS 19014	Permanent
348	Electric hobs	Ability to control the temperature of a load	Cl.11 IS 19014	Permanent
349	Electric hobs	Heat distribution and heat supply	Cl.12 IS 19014	Permanent
350	Electric hobs	Heat performance of cooking zones	Cl.13 IS 19014	Permanent
351	Electric hobs	Smallest detected diameter for induction cooking zones	Cl.14 IS 19014	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
352	Electric hobs	Stand by power and power measurement of low power mode	Cl.15 IS 19014	Permanent
353	Electric hobs	Spillage capacity of hobs	Cl.16 IS 19014	Permanent
Discipline: Photometry, Group: Luminaires				
354	LED Luminaire	Marking	(Cl.4) IS 16107 (Part 2/Sec 1)	Permanent
355	LED Luminaire	Total Input Power	(Cl.7) IS 16107 (Part 2/Sec 1)	Permanent
356	LED Luminaire	Luminous Flux	(Cl.8.1) IS 16107 (Part 2/Sec 1)	Permanent
357	LED Luminaire	Beam Angle	(Cl.8.2) IS 16107 (Part 2/Sec 1)	Permanent
358	LED Luminaire	Luminous Intensity Distribution	(Cl.8.2) IS 16107 (Part 2/Sec 1)	Permanent
359	LED Luminaire	Peak Intensity	(Cl.8.2) IS 16107 (Part 2/Sec 1)	Permanent
360	LED Luminaire	Luminaire Efficacy	(Cl 8.3) IS 16107 (Part 2/Sec 1)	Permanent
361	LED Luminaire	Chromaticity Coordinates	(Cl 9) IS 16107 (Part 2/Sec 1)	Permanent
362	LED Luminaire	Colour Rendering Index	(Cl 9) IS 16107 (Part 2/Sec 1)	Permanent
363	LED Luminaire	Correlated Colour Temperature	(Cl 9) IS 16107 (Part 2/Sec 1)	Permanent
364	LED Luminaire	Led Luminaire Life-Lumen Maintenance - Endurance Test	(Cl 10) IS 16107 (Part 2/Sec 1)	Permanent
365	LED Street Lighting Luminaire	Marking	(Cl.4) IS 16107 (Part 2/Sec 2)	Permanent
366	LED Street Lighting Luminaire	Total Input Power	(Cl.7) IS 16107 (Part 2/Sec 2)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
367	LED Street Lighting Luminaire	Luminous Flux	(Cl.8.1) IS 16107 (Part 2/Sec 2)	Permanent
368	LED Street Lighting Luminaire	Luminaire Efficacy	(Cl 8.2) IS 16107 (Part 2/Sec 2)	Permanent
369	LED Street Lighting Luminaire	Luminous Intensity Distribution	(Cl.8.3) IS 16107 (Part 2/Sec 2)	Permanent
370	LED Street Lighting Luminaire	Photometric Test	(Cl. 8.4) IS 16107 (Part 2/Sec 2)	Permanent
371	LED Street Lighting Luminaire	Chromaticity Coordinates	(Cl 9.1) IS 16107 (Part 2/Sec 2)	Permanent
372	LED Street Lighting Luminaire	Correlated Colour Temperature	(Cl 9.2) IS 16107 (Part 2/Sec 2)	Permanent
373	LED Street Lighting Luminaire	Colour Rendering Index	(Cl 9.3) IS 16107 (Part 2/Sec 2)	Permanent
374	LED Street Lighting Luminaire	Led Luminaire Life-Lumen Maintenance - Endurance Test	(Cl 10) IS 16107 (Part 2/Sec 2)	Permanent
375	LED Street Lighting Luminaire	Operating Temperature (RANGE °C)	(Cl 11) IS 16107 (Part 2/Sec 2)	Permanent
376	LED Street Lighting Luminaire	Power Factor	(Cl 12) IS 16107 (Part 2/Sec 2)	Permanent
377	LED Street Lighting Luminaire	Harmonics	(Cl 13) IS 16107 (Part 2/Sec 2)	Permanent

Scope of Accreditation for Testing

As per ISO/IEC 17025:2017

CAB Name: BLUESKY LAB LLP

Address: Plot No. 62, 63, 1st, 2nd & 3rd Floor, Ganga Enclave, Behta Hajipur, Main Delhi Saharanpur Road, Near Johri Enclave Metro Station, Ghaziabad- 201102, Uttar Pradesh

Certificate No.: T-0074

Issue date : 17.11.2026
Validity : 16.11.2030

Sr. No.	Product/ Material to be tested	Parameter/ Type of test/Properties Measured	Standard specifications/ Equipment/Techniques used	Facility
378	LED Street Lighting Luminaire	Surge Protection	(Cl 14) IS 16107 (Part 2/Sec 2)	Permanent
379	LED Street Lighting Luminaire	Reverse polarity (For D.C. Supplies Only)	(Cl 15) IS 16107 (Part 2/Sec 2)	Permanent
380	Solid State Lighting Products	Electrical Test: Input Power	Cl. 5 IES LM 79	Permanent
381	Solid State Lighting Products	Electrical Test: Power factor	Cl. 5 IES LM 79	Permanent
382	Solid State Lighting Products	Electrical Test: Current	Cl. 5 IES LM 79	Permanent
383	Solid State Lighting Products	Electrical Test: Frequency	Cl. 5 IES LM 79	Permanent
384	Solid State Lighting Products	Test Method for Total Luminous Flux measurements	Cl. 7 IES LM 79	Permanent
385	Solid State Lighting Products	Luminous Intensity Distribution	Cl.8 IES LM 79	Permanent
386	Solid State Lighting Products	Luminous Efficacy	Cl. 7 IES LM 79	Permanent
387	Solid State Lighting Products	Test method For Color Characteristics of SSL Products	Cl. 9 IES LM 79	Permanent